AMP EU Version





Amp Pendant Small - EU Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

4m textile cord (gold glass - green cord/smoked glass - black cord/ white glass - white cord).

CANOPY

Included, black or white color, H: $7.7 \times \emptyset$: 9 cm 0.04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure the dimmer is suitable for LED.

VOLTAGE 220-240 V

MAX LOAD 40 W

FREQUENCY 50/60 Hz

IP RATING IP20

CLASSIFICATION Class II


SOCKET EI4

LIGHT SOURCE - RECOMMENDED Art. No.: 504050 LED E14 EU, dimmable

Power: I,5 W CCT: 2000 K Output: 100 lm Life Span: I5000 h CRI: > 90

GENERAL STANDARD & CERTIFICATES

EN 60598-1:2008+AII:2009 EN 60598-2-1: 1989

























Amp Pendant Large - EU Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

4m textile cord (gold glass - green cord/smoked glass - black cord/ white glass - white cord).

CANOPY

Included, black or white color, H: $7.7 \times \emptyset$: 9 cm 0.04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure the dimmer is suitable for LED.

VOLTAGE 220-240 V

MAX LOAD 40 W

FREQUENCY 50/60 Hz

IP RATING IP20

CLASSIFICATION Class II


SOCKET EI4

LIGHT SOURCE - RECOMMENDED Art. No.: 504050 LED E14 EU, dimmable

Power: I,5 W CCT: 2000 K Output: 100 lm Life Span: I5000 h CRI: > 90

GENERAL STANDARD & CERTIFICATES

EN 60598-1:2008+AII:2009 EN 60598-2-1: 1989
























Amp Table Lamp - EU Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

2 m textile cord with switch (gold glass - green cord/smoked glass - black cord/white glass - white cord).

DIMMABLE FUNCTION

No

VOLTAGE 220-240 V

MAX LOAD 40 W

FREQUENCY 50/60 Hz

IP RATING IP20

CLASSIFICATION Class II


SOCKET EI4

LIGHT SOURCE - RECOMMENDED Art. No.: 504050 LED E14 EU, dimmable

Power: I,5 W CCT: 2000 K Output: 100 lm Life Span: 15 000 h CRI: > 90

GENERAL STANDARD & CERTIFICATES

EN 60598-1:2008+AII:2009 EN 60598-2-4: 1997
























Amp Chandelier Small - EU Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

4m textile cord (gold glass - green cord/smoked glass - black cord/ white glass - white cord).

CANOPY

Included, black or white color, H: $7.7 \times \emptyset$: 9 cm 0.04 kg

DIMMABLE FUNCTION

No

VOLTAGE 220-240 V

MAX LOAD 12 W

FREQUENCY 50/60 Hz

IP RATING IP20

CLASSIFICATION Class II

SOCKET

LIGHT SOURCE - INCLUDED

LED included: SMD2835, Art. No.: 502069 15x


Power: 0,4 W CCT: 3 000 K Output: 40 lm Life Span: I 0 000 h CRI:~80

GENERAL STANDARD & CERTIFICATES

EN 60598-2-1: 1989 EN 60598-1: 2015

EN 62031: 2008+A1:2013+A2:2015

EN 62471: 2008 EN 62493: 2015




















Amp Chandelier Large - EU Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

4m textile cord (gold glass - green cord/smoked glass - black cord/ white glass - white cord).

CANOPY

Included, black or white color, H: $7.7 \times \emptyset$: 9 cm 0.04 kg

DIMMABLE FUNCTION

No

VOLTAGE 220-240 V

MAX LOAD 16W

FREQUENCY 50/60 Hz

IP RATING IP20

CLASSIFICATION

Class II

SOCKET


LIGHT SOURCE - INCLUDED

LED included: SMD2835, Art. No.: 502069 35x

Power: 0,4 W CCT: 3 000 K Output: 40 lm Life Span: I 0 000 h CRI:~80

GENERAL STANDARD & CERTIFICATES

EN 55015:2013 EN 61000-3-2:2014 EN 61000-3-3:2013 EN 61547:2009 EN 62493:2010



















AMP US Version





Amp Pendant Small - US Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORE

 $4\,m$ textile cord (gold glass - green cord/smoked glass - black cord/white glass - white cord).

CANOPY

Included, black or white color, H: 7,7 x \emptyset : 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure the dimmer is suitable for LED.

VOLTAGE 120 V

MAX LOAD 40 W

FREQUENCY 60 Hz


IP RATING IP20

CLASSIFICATION Class I

SOCKET E12

LIGHT SOURCE - RECOMMENDED Art. No.: 504060 LED E12 US, dimmable

Power: 3,5 W CCT: 2000 K Output: 100 lm Life Span: 15 000 h CRI: > 90























Amp Pendant Large - US Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

 $4\,m$ textile cord (gold glass - green cord/smoked glass - black cord/white glass - white cord).

CANOPY

Included, black or white color, H: 7,7 x \emptyset : 9 cm 0,04 kg

DIMMABLE FUNCTION

Yes - with dimmable light source. Ensure the dimmer is suitable for LED.

VOLTAGE 120 V

MAX LOAD 40 W

FREQUENCY 60 Hz


IP RATING IP20

CLASSIFICATION Class I

SOCKET E12

LIGHT SOURCE - RECOMMENDED Art. No.: 504060 LED E12 US, dimmable

Power: 3,5 W CCT: 2000 K Output: 100 lm Life Span: 15 000 h CRI: > 90
























Amp Table Lamp - US Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

2m textile cord with switch (gold glass - green cord/smoked glass - black cord/white glass - white cord).

DIMMABLE FUNCTION

No

VOLTAGE 120 V

MAX LOAD 40 W

FREQUENCY 60 Hz


IP RATING IP20

CLASSIFICATION Class II

SOCKET EI2

LIGHT SOURCE - RECOMMENDED Art. No.: 504060 LED E12 US, dimmable

Power: 3,5 W CCT: 2000 K Output: 100 lm Life Span: 15 000 h CRI: > 90






















Amp Chandelier Small - US Version





62,5 cm

DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORD

 $4\,m$ textile cord (gold glass - green cord/smoked glass - black cord/ white glass - white cord).

CANOPY

Included, black or white color, H: 7,7 x \emptyset : 9 cm 0,04 kg

DIMMABLE FUNCTION

Νo

VOLTAGE

120 V

MAX LOAD 12 W

FREQUENCY 60 Hz

IP RATING IP20

CLASSIFICATION

Class I


SOCKET

G4

LIGHT SOURCE - INCLUDED

LED included: SMD2835, Art. No.: 502069 15x

Power: 0,4 W CCT: 3 000 K Output: 40 lm Life Span: 10 000 h CRI: ~80



32,5 cm




















Amp Chandelier Large - US Version





DESCRIPTION

Amp is a collection of lamps inspired by old tube amplifiers from the 1960s. The sophisticated range is characterized by its high-quality materials of glass, brass and marble that add a visual fragility and sensuous heaviness. Amp has a nostalgic and at the same time, contemporary feel.

DESIGN

Simon Legald, 2014

MATERIAL

Glass / Marble / Brass Plated Steel

CONSTRUCTION

The Amp collection consists of five lamps , which all follow the simple construction of a glass shade slipped over a marble or brass base. The shape of each part ensures stability and easy handling.

MAINTENANCE

Clean with damp cloth. Avoid use of all-purpose cleaners and other degreasing detergents.

CORE

 $4\,m$ textile cord (gold glass - green cord/smoked glass - black cord/ white glass - white cord).

CANOPY

Included, black or white color, H: 7,7 x \emptyset : 9 cm 0,04 kg

DIMMABLE FUNCTION

Νo

VOLTAGE 120 V

MAX LOAD 16W

FREQUENCY 60 Hz

IP RATING

IP20

CLASSIFICATION Class I

SOCKET

G4

LIGHT SOURCE - INCLUDED

LED included: SMD2835, Art. No.: 502069 35x

Power: 0,4 W CCT: 3 000 K Output: 40 lm Life Span: 10 000 h CRI: ~80

